50

Claims

1. A compound of formula (I):

$$\begin{array}{c|c}
R^{2} & R^{1} \\
N-S & O \\
O & O \\
N-Y-R^{4} \\
R^{3}
\end{array}$$
(I)

5 wherein:

R¹ represents a group selected from:

$$-(C_{0-3})alk \longrightarrow Z$$

$$-(C_{2-3})alk \longrightarrow Z$$

each ring of which optionally contains a further heteroatom N,

10 Z represents an optional substituent halogen, alk represents alkylene or alkenylene, T represents S, O or NH;

 R^2 represents hydrogen, $-C_{1-6}$ alkyl, $-C_{1-3}$ alkylCONR^aR^b, $-C_{1-3}$ alkylCO₂C₁₋₄alkyl, $-C_{2-1}$ 15 ₃alkylmorpholino, $-CO_2C_{1-4}$ alkyl, or $-C_{1-3}$ alkylCO₂H;

R^a and R^b independently represent hydrogen, -C₁₋₆alkyl, or together with the N atom to which they are bonded form a 5-, 6- or 7- membered non-aromatic heterocyclic ring optionally containing an additional heteroatom selected from O, N or S, optionally 5 substituted by -C₁₋₄alkyl, and optionally the S heteroatom is substituted by O, i.e. represents S(O)_n;

n represents 0-2;

- 10 X represents phenyl or a 5- or 6- membered aromatic heterocyclic group containing at least one heteroatom selected from O, N or S, each of which is optionally substituted by 0-2 groups selected from: halogen, -C₁₋₄alkyl, -C₂₋₄alkenyl, -CN, -CF₃, -NR^aR^b, -C₀₋₄alkylOR^e, -C(O)R^f and -C(O)NR^aR^b;
- 15 R^e represents hydrogen or -C₁₋₆alkyl;

Rf represents -C₁₋₆alkyl;

Y is absent or represents -C₁₋₃ alkylene-;

R³ represents hydrogen or -C₁₋₆alkyl;

20


R⁴ represents -C₃₋₄alkenyl, -CH₂CH₂OH, -CH₂CO₂H, -CH₂CH₂OC₁₋₃alkyl, -CH₂CH₂SO₂C₁₋₃alkyl, -CH₂CH₂NR^cR^d, -CH₂CONR^cR^d, phenyl or a 5- or 6- membered aromatic or non-aromatic heterocyclic group containing at least one heteroatom selected from O, N or S and optionally substituted by -C₁₋₄alkyl;

25

- R^c and R^d independently represent hydrogen, $-C_{1-6}$ alkyl, or together with the N atom to which they are bonded form a 5-, 6- or 7- membered non-aromatic heterocyclic ring optionally containing an additional heteroatom selected from O, N or S, optionally substituted by $-C_{1-4}$ alkyl;
- 30 and/or pharmaceutically acceptable derivative thereof.
 - 2. A compound according to claim 1 wherein R¹ represents a group selected from:

10

15



each ring of which optionally contains a further heteroatom N, Z represents an optional substituent halogen, alk represents alkylene or alkenylene,

- 5 T represents S, O or NH; and/or pharmaceutically acceptable derivative thereof.
 - 3. A compound according to claim 1 or claim 2 wherein R² represents hydrogen and/or pharmaceutically acceptable derivative thereof.
 - 4. A compound according to any one of claims 1-3 wherein X represents phenyl or a 5- or 6- membered aromatic heterocyclic group containing at least one heteroatom selected from O, N or S, each of which is optionally substituted by 0-2 groups selected from: halogen, -C₁₋₄alkyl or -NR^aR^b and/or pharmaceutically acceptable derivative thereof.
 - 5. A compound according to any one of claims 1-4 wherein Y is absent or represents C_{1-2} alkylene and/or pharmaceutically acceptable derivative thereof.
- 6. A compound according to any one of claims 1-5 wherein R³ represents hydrogen or 20 methyl and/or pharmaceutically acceptable derivative thereof.
- 7. A compound according to any one of claims 1-6 wherein R⁴ represents -C₃₋₄alkenyl, CH₂CH₂OH, -CH₂CO₂H, -CH₂CH₂OCH₃, -CH₂CH₂SO₂CH₃, -CH₂CH₂NR^cR^d, -CH₂CONR^cR^d, phenyl or a 5- or 6- membered aromatic heterocyclic group containing one or two heteroatoms selected from O, N or S and optionally substituted by -C₁₋₄alkyl and/or pharmaceutically acceptable derivative thereof.
- 8. A compound according to claim 1 selected from:
 4-[3-({[(1*E*)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-330 fluoro-*N*-methyl-*N*-[2-(methylamino)ethyl]benzamide;

- 4-[3-({[(1*E*)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-(2-hydroxyethyl)-*N*-methylbenzamide;
- 4-[3-({[(1*E*)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-(2-pyridinylmethyl)benzamide;
- 5 4-[3-({[(1*E*)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-[2-(methylsulfonyl)ethyl]benzamide;
 - 4-[3-({[(1*E*)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-[2-(methyloxy)ethyl]benzamide;
- 4-[3-({[(*E*)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-10 methyl-*N*-[2-(3-pyridinyl)ethyl]benzamide;
 - $4-[3-(\{[(E)-2-(5-Chloro-2-thienyl]sulfonyl]amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-$ *N*-methyl-*N*-(2-phenylethyl)benzamide;
 - 4-[3-({[(*E*)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-(4-pyridinylmethyl)benzamide;
- 15 4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-(3-pyridinylmethyl)benzamide;
 - 4-[3-({[(*E*)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-(2-hydroxyethyl)-*N*-methylbenzamide;
 - 4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-
- 20 (phenylmethyl)benzamide;
 - 4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-[2-(methyloxy)ethyl]benzamide;
 - 4-[3-($\{[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl\}amino)-2-oxo-1-pyrrolidinyl]-<math>N$ -[2-(dimethylamino)ethyl]-3-fluoro-N-methylbenzamide;
- 25 4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-[2-(methylsulfonyl)ethyl]benzamide;
 - 4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-2-propen-1-ylbenzamide;
 - $\textit{N-} (2-Amino-2-oxoethyl)-4-[3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl\}amino)-2-oxo-1-(2-Amino-2-oxoethyl)-4-[3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl]amino)-2-oxo-1-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl)-2-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl)-2-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl)-2-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl)ethenyl)-2-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl)ethenyl)-2-(3-(\{[(\textit{E})-2-(5-chloro-2-thienyl)ethenyl)ethenyl)ethenyl)ethenyl$
- 30 pyrrolidinyl]-3-fluoro-N-methylbenzamide;
 - 4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-*N*-methyl-*N*-(4-pyridinylmethyl)benzamide;
 - $4-[3-(\{[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl]amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-$ *N*-methyl-*N*-[2-(1-pyrrolidinyl)ethyl]benzamide;
- 35 4-[3-($\{[(E)-2-(5-Chloro-2-thlenyl)ethenyl]sulfonyl\}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-<math>N$ -[2-(1H-imidazol-4-yl)ethyl]-N-methylbenzamide;
 - $4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-<math>N-(3-hydroxypropyl)-N-methylbenzamide;$

- $4-[3-({[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-$ *N*-methyl-*N*-[3-(methylamino)-3-oxopropyl]benzamide;
- 4-[3-($\{[(E)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl\}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-<math>N-(1-2-(4-methyl-1)ethyl-1)$ -fluoro-N-(1-2-(4-methyl-1)ethyl-1)-fluoro-fluoro-fluoro-fluoro-fluoro-fluoro-fluoro-fluoro-fluoro-fluoro-fluor
- 5 *N*-({4-[3-({[(*E*)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluorophenyl}carbonyl)-*N*-methylglycine;
 - *N*-({4-[3-({[(*E*)-2-(5-Chloro-2-thienyl)ethenyl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-3-fluorophenyl}carbonyl)glycine;
 - 4-(3-{[(6-Chloro-1-benzothien-2-yl)sulfonyl]amino}-2-oxo-1-pyrrolidinyl)-N-[2-
- 10 (dimethylamino)ethyl]-3-fluoro-N-methylbenzamide;
 - 4-(3-{[(6-Chloro-1-benzothien-2-yl)sulfonyl]amino}-2-oxo-1-pyrrolidinyl)-3-fluoro-*N*-methyl-*N*-[2-(methylamino)ethyl]benzamide;
 - 4-(3-{[(6-Chloro-1-benzothien-2-yl)sulfonyl]amino}-2-oxo-1-pyrrolidinyl)-3-fluoro-*N*-methyl-*N*-[2-(3-pyridinyl)ethyl]benzamide;
- 15 *N*-(2-Aminoethyl)-4-(3-{[(6-chloro-1-benzothien-2-yl)sulfonyl]amino}-2-oxo-1-pyrrolidinyl)-3-fluoro-*N*-methylbenzamide;
 - 4-[3-({[(1*E*)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl}amino)-2-oxo-1-pyrrolidinyl]-*N*-[2-(dimethylamino)ethyl]-3-fluoro-*N*-methylbenzamide;
 - $4-[3-(\{[(1E)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl\}amino)-2-oxo-1-pyrrolidinyl]-3-independent of the property of the$
- 20 fluoro-N-methyl-N-[2-(3-pyridinyl)ethyl]benzamide;
 - $4-[3-(\{[(1E)-2-(5-Chloro-2-thienyl)-1-propen-1-yl]sulfonyl\}amino)-2-oxo-1-pyrrolidinyl]-3-fluoro-N-[2-(1H-imidazol-4-yl)ethyl]-N-methylbenzamide;$
 - 4-(3-{[(6-Chloro-2-naphthalenyl)sulfonyl]amino}-2-oxo-1-pyrrolidinyl)-3-fluoro-*N*-methyl-*N*-[2-(methylamino)ethyl]benzamide;
- 25 and/or pharmaceutically acceptable derivative thereof.
 - 9. A compound according to any one of claims 1-8 and/or pharmaceutically acceptable derivative thereof for use in therapy.
- 30 10. A pharmaceutical composition comprising a compound according to any one of claims 1-8 and/or pharmaceutically acceptable derivative thereof together with a pharmaceutical carrier and/or excipient.
- 11. Use of a compound according to any one of claims 1-8 and/or pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment of a patient suffering from a condition susceptible to amelioration by a Factor Xa inhibitor.
 - 12. A method of treating a patient suffering from a condition susceptible to amelioration by a Factor Xa inhibitor comprising administering a therapeutically effective amount of a

compound according to any one of claims 1-8 and/or pharmaceutically acceptable derivative thereof.

13. A process for preparing a compound of formula (I) which comprises:

(a) reacting compound of formula (II) or an acid addition salt thereof with a compound of formula (III) where V is a suitable leaving group:

$$\begin{array}{c|c} NH_2 \\ N \\ O \\ X \\ N \\ N \\ N \\ N \end{array}$$
 (II)

10 OR:

5

(b) by reacting compounds of formula (XIII) with compounds of formula (VI):

15

R³ NHYR⁴ (VI)

(c) by reacting a compound of formula (I) where R^2 is hydrogen with a compound of formula (XVII):

PCT/EP2004/006591

56

 R^2 —T (XVII)

where R² is -C₁₋₆alkyl, -C₁₋₃alkylCONR^aR^b, -C₁₋₃alkylCO₂C₁₋₄alkyl, -C₂₋₃alkylmorpholino or -CO₂C₁₋₄alkyl and T is a suitable leaving group, optionally followed by removal of the alkyl protecting group where appropriate.